

PharmLabs San Diego Certificate of Analysis



Sample Kplex 200mg MIT Tablets Blue Razz

Sample ID SD260122-056 (131848)	Matrix Edible	Batch ID 0120262002
Tested for Prof. Whyte's Kratom		
Sampled -	Received Jan 22, 2026	Reported Feb 20, 2026
Analyses executed KTM, FPT, 1BD	Unit Mass (g) 30.431	Num. of Servings 30
		Serving Size (g) 1.01

Laboratory note: COA Update: 2/4/26 Batch information updated as per client request.

**KTM - Kratom**

Analyzed Jan 22, 2026 | Instrument HPLC VWD | Method SOP-KTM  
 The expanded Uncertainty of the Kratom analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	19.00	190.03	191.93	5782.80	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	4.60	46.04	46.50	1401.04	

**HME - Heavy Metals**

Analyzed Feb 18, 2026 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	0.00	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	ND	0.5

**MIBNIG - Microbial**

Analyzed Feb 16, 2026 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	1

**MTO - Mycotoxin**

Analyzed Feb 17, 2026 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Fri, 20 Feb 2026 16:48:22 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

PES - Pesticides

Analyzed Feb 17, 2026 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclobutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Propfos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Acephate	0.02	0.05	ND	
Acetamiprid	0.01	0.05	ND		Azoxystrobin	0.01	0.02	ND	
Bifenazate	0.01	0.05	ND		Bifenthrin	0.02	0.35	ND	
Boscalid	0.01	0.03	ND		Carbaryl	0.01	0.02	ND	
Chlorantraniliprole	0.01	0.04	ND		Clofentezine	0.01	0.03	ND	
Diazinon	0.01	0.02	ND		Dimethomorph	0.02	0.06	ND	
Etoazole	0.01	0.05	ND		Fenpyroximate	0.02	0.1	ND	
Flonicamid	0.01	0.02	ND		Fludioxonil	0.01	0.05	ND	
Hexythiazox	0.01	0.03	ND		Imidacloprid	0.01	0.05	ND	
Kresoxim-methyl	0.01	0.03	ND		Malathion	0.01	0.05	ND	
Metalaxyl	0.01	0.02	ND		Methomyl	0.02	0.05	ND	
Myclobutanil	0.02	0.07	ND		Naled	0.01	0.02	ND	
Oxamyl	0.01	0.02	ND		Permethrin	0.01	0.02	ND	
Phosmet	0.01	0.02	ND		Piperonyl Butoxide	0.02	0.06	ND	
Propiconazole	0.03	0.08	ND		Prallethrin	0.02	0.05	ND	
Pyrethrin	0.05	0.41	ND		Pyridaben	0.02	0.07	ND	
Spinosad A	0.01	0.05	ND		Spinosad D	0.01	0.05	ND	
Spiromesifen	0.02	0.06	ND		Spirotetramat	0.01	0.02	ND	
Tebuconazole	0.01	0.02	ND		Thiamethoxam	0.01	0.02	ND	
Trifloxystrobin	0.01	0.02	ND		Acequinocyl	0.02	0.09	ND	
Captan	0.01	0.02	ND		Cypermethrin	0.02	0.1	ND	
Cyfluthrin	0.04	0.1	ND		Fenhexamid	0.02	0.07	ND	
Spinetoram J.L	0.02	0.07	ND		Pentachloronitrobenzene	0.01	0.1	ND	

RES - Residual Solvents

Analyzed Feb 18, 2026 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metha)	1.176	3.92	2193.6	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethanol)	0.048	0.4	76.3	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	46.3	5000
Isopropanol (2-Pro)	1.16	3.868	24672.6	5000	Acetonitrile (Acetonit)	0.888	2.952	ND	410
Methylene Chloride (MetCh)	0.04	0.4	2447.6	1	Hexane (Hex)	0.012	0.4	ND	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	187.2	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	39.9	890	Xylenes (Xyl)	0.012	0.4	ND	2170

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Fri, 20 Feb 2026 16:48:22 -0800

PharmLabs San Diego | 6696 Mesa Ridge Rd #A, San Diego, CA 92121 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.