

Certificate of Analysis



Customer Information

Client: Prof Whyte's Kratom
Attention: (954) 470-1891
Address: 7901 SW 6th Ct, Suite 250B
Plantation, FL 33324

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: 90 mg Strawberry Kplex
Lot Number: 112457
Description: Ready-to-drink botanical infused beverage
Condition: Good
Job ID: ISO03310
Sample ID: I08408
Received: 10FEB2025
Completed: 12FEB2025
Issued: 13FEB2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD) Method Code: T102 Tested: 11FEB2025 | 0011

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	88.2	mg/unit	0.991	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.264	N/A
Paynantheine	Report Results	11.1	mg/unit	0.991	N/A
Speciogynine	Report Results	7.71	mg/unit	0.991	N/A
Speciociliatine	Report Results	3.57	mg/unit	0.991	N/A
Total Mitragyna Alkaloids	Report Results	111	mg/unit	0.991	N/A

Mitragyna Alkaloids (UHPLC-DAD) Method Code: T102 Tested: 11FEB2025 | 0011

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.128	w/w%	0.0014	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.0004	N/A
Paynantheine	Report Results	0.016	w/w%	0.0014	N/A
Speciogynine	Report Results	0.011	w/w%	0.0014	N/A
Speciociliatine	Report Results	0.005	w/w%	0.0014	N/A
Total Mitragyna Alkaloids	Report Results	0.161	w/w%	0.0014	N/A

Elemental Impurities (ICP-MS) Method Code: T301 Tested: 10FEB2025 | 1659

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	0.016	ug/g	0.006	PASS
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	<LOQ	ug/g	0.002	PASS
Lead	NMT 0.50	<LOQ	ug/g	0.002	PASS

Pesticides (GC-MS/MS:1/5) Method Code: T401 Tested: 11FEB2025 | 1443

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.0197	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0197	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0197	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0197	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0197	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0197	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0197	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.0197	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0197	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.0394	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0197	PASS
Omethaote	Report Results	ND	mg/Kg	0.0197	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.1972	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0986	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0986	N/A
Ethion	NMT 2	ND	mg/Kg	0.0197	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0394	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0197	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0197	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0197	PASS

Pesticides (GC-MS/MS:2/5)

Method Code: T401

Tested: 11FEB2025 | 1443

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0197	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0197	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0197	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0197	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0394	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.0394	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0394	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0394	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.0394	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0394	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0197	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0197	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0394	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0197	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.0197	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0197	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0197	PASS

Pesticides (GC-MS/MS:3/5)

Method Code: T401

Tested: 11FEB2025 | 1443

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0394	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0197	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0394	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0197	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0197	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0197	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0197	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0592	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0394	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0197	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0197	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0986	PASS
Cinerin I	Report Results	ND	mg/Kg	0.0986	N/A
Cinerin II	Report Results	ND	mg/Kg	0.0986	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.0986	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.0986	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.0986	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.0986	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0197	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0197	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0197	PASS

Pesticides (GC-MS/MS:4/5)

Method Code: T401

Tested: 11FEB2025 | 1443

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0394	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0197	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0197	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0197	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0394	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0197	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0197	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0394	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0197	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0197	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.01	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0394	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0197	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.0394	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0197	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0197	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0197	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0197	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0197	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.0197	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0197	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0197	PASS

Pesticides (GC-MS/MS:5/5)

Method Code: T401

Tested: 11FEB2025 | 1443

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Endosulfans	NMT 3	ND	mg/Kg	0.0197	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0197	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0197	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0197	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0197	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0394	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0394	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0394	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0197	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0197	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0197	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0197	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0197	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0197	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0197	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0197	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.01	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.01	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0197	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.0197	N/A
trans-Permethin	Report Results	ND	mg/Kg	0.0197	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0197	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.1775	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0394	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0986	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0197	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0197	PASS

Microbiological Examination

Method Code: T005

Tested: 10FEB2025 | 1220

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	30	CFU/g	10 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	30	CFU/g	10 CFU / g	PASS
Total Coliforms	10,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 25 g	Not Detected	N/A	1 CFU / 25 g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured density of 1.148 g/mL and package specified fill volume of 60.0 mL.

Revision History


- rev 00 - Initial release.
- rev 01 - Added T401 and T005 results.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	13FEB2025