

Certificate of Analysis

Customer Information

Client: Prof Whyte's Kratom

Attention: (954) 470-1891

Address: 7901 SW 6th Ct, Suite 250B

Plantation, FL 33324

Testing Facility

Lab: Cora Science, LLC

Address 8000 Anderson Square, STE 113

Austin, Texas 78757

Contact: info@corascience.com

(512) 856-5007

Sample Image(s)



Sample Information

Name: Uplift Powder

Lot Number: 9799

Description: Finely ground plant material

 Condition:
 Good

 Job ID:
 ISO04459

 Sample ID:
 I12125

 Received:
 16JUL2025

 Completed:
 23JUL2025

 Issued:
 24JUL2025

Test Results

Mitragyna Alkaloids (UHPLC	-DAD) Method	Method Code: T102			Tested: 23JUL2025 0624		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES		
Mitragynine	Report Results	1.22	w/w%	0.0030	N/A		
7-Hydroxymitragynine	Report Results	0.00342	w/w%	0.0030	N/A		
Paynantheine	Report Results	0.247	w/w%	0.0030	N/A		
Speciogynine	Report Results	0.188	w/w%	0.0030	N/A		
Speciociliatine	Report Results	0.402	w/w%	0.0030	N/A		
Total Mitragyna Alkaloids	Report Results	2.06	w/w%	0.0030	N/A		

Elemental Impurities (ICP-MS)		Method Code: T301		Tested: 18JUL2025 1443		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Arsenic	NMT 2.00	0.611	ug/g	0.006	PASS	
Cadmium	NMT 0.50	0.050	ug/g	0.002	PASS	
Mercury	NMT 0.20	0.026	ug/g	0.002	PASS	
Lead	NMT 5.00	0.483	ug/g	0.002	PASS	

Microbiological Examination	Method Code: T005			Tested: 17JUL2025 1627		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Total Aerobic Plate Count	NMT 10,000,000 CFU/g	27,700	CFU/g	20 CFU/g	PASS	
Total Yeast and Mold	NMT 100,000 CFU/g	7,000	CFU/g	20 CFU/g	PASS	
Total Coliforms	NMT 10,000 CFU/g	160	CFU/g	20 CFU/g	PASS	
Escherichia coli	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS	
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS	

Pesticides (GC-MS/MS) Method Code: T401 Tested: 20JUL2025 | 1932

Work Order: ISO04459 Sample: I12125	Received: 16JUL2025 Issued: 24JUL2025			Revision: 00 Page		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Acephate	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0098	PASS	
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Diazinon	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Dichlorvos	NMT 1	ND	mg/Kg	0.0197	PASS	
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Omethaote	Report Results	ND	mg/Kg	0.0098	N/A	
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.0984	PASS	
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0492	N/A	
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0492	N/A	
Ethion	NMT 2	ND	mg/Kg	0.0098	PASS	
Etrimphos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0197	PASS	
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0098	N/A	
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0098	PASS	
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0394	PASS	
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0098	N/A	
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0098	N/A	
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0098	N/A	
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0197	PASS	
Fenthion oxon	Report Results	ND	mg/Kg	0.0197	N/A	
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0197	N/A	
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0197	N/A	
Fenthion sulfone	Report Results	ND	mg/Kg	0.0197	N/A	
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0197	N/A	
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Fonophos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0197	PASS	
Malathion oxon	Report Results	ND	mg/Kg	0.0098	N/A	
Mecarbam	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Methacriphos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Methamidophos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Methadathion	NMT 0.2	ND	mg/Kg	0.0098	PASS	
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0197	PASS	
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0098	N/A	
Parathion-methyl (and oxon, sum)	NMT 0.2	<loq< td=""><td>mg/Kg</td><td>0.0197</td><td>PASS</td></loq<>	mg/Kg	0.0197	PASS	
Paraoxon methyl	Report Results	ND	mg/Kg	0.0098	N/A	
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0098	PASS	

Work Order: ISO04459 Sample: I12125	Received: 16JUL2025 Issued: 24JUL2025			Revision: 00 Page		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Phosalone	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0295	PASS	
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0197	N/A	
Procymidone	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Profenofos	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Prothiophos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0492	PASS	
Cinerin I	Report Results	ND	mg/Kg	0.0492	N/A	
Cinerin II	Report Results	ND	mg/Kg	0.0492	N/A	
Jasmoline I	Report Results	ND	mg/Kg	0.0492	N/A	
Jasmoline II	Report Results	ND	mg/Kg	0.0492	N/A	
Pyrethrin I	Report Results	ND	mg/Kg	0.0492	N/A	
Pyrethrin II	Report Results	ND	mg/Kg	0.0492	N/A	
Quinalphos	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Tetradifon	NMT 0.3	ND	mg/Kg	0.0098	PASS	
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0098	PASS	
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0197	PASS	
Dieldrin	Report Results	ND	mg/Kg	0.0098	N/A	
Alachlor	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Bromopropylate	NMT 3	ND	mg/Kg	0.0098	PASS	
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0197	PASS	
cis-Chlordane	Report Results	ND	mg/Kg	0.0098	N/A	
trans-Chlordane	Report Results	ND	mg/Kg	0.0098	N/A	
oxy-Chlordane	Report Results	ND	mg/Kg	0.0197	N/A	
Chlorpyrifos-ethyl	NMT 0.2	0.048	mg/Kg	0.0098	PASS	
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.0098	PASS	
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0197	PASS	
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0098	PASS	
Cypermethrins	NMT 1	ND	mg/Kg	0.0197	PASS	
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0098	PASS	
o,p-DDT	Report Results	ND	mg/Kg	0.0098	N/A	
p,p-DDT	Report Results	ND	mg/Kg	0.0098	N/A	
o,p-DDE	Report Results	ND	mg/Kg	0.0098	N/A	
p,p-DDE	Report Results	ND	mg/Kg	0.0098	N/A	
o,p-DDD	Report Results	ND	mg/Kg	0.0098	N/A	
p,p-DDD	Report Results	ND	mg/Kg	0.0098	N/A	
Dicofol	NMT 0.5	ND	mg/Kg	0.0098	PASS	
Endosulfans	NMT 3	ND	mg/Kg	0.0098	PASS	
Endosulfan I	Report Results	ND	mg/Kg	0.0098	N/A	
Endosulfan II	Report Results	ND	mg/Kg	0.0098	N/A	
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0098	N/A	
Endrin	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0197	PASS	
Esfenvalerate This report, prepared by Cora Science, LLC, shall not be reproduced.	Report Results	ND	mg/Kg	0.0197	N/A	

Work Order: ISO04459 Sample: I12125	Received: 16JUL2025 Issued: 24JUL2025			Revision: 00 Page 4		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0197	PASS	
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0098	N/A	
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0098	PASS	
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0098	PASS	
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A	
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A	
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0098	N/A	
Lindane	NMT 0.6	ND	mg/Kg	0.0098	PASS	
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0098	PASS	
Mirex	NMT 0.01	ND	mg/Kg	0.0098	PASS	
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.0098	PASS	
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0098	PASS	
cis-Permethrin	Report Results	ND	mg/Kg	0.0098	N/A	
trans-Permethin	Report Results	ND	mg/Kg	0.0098	N/A	
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0098	PASS	
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.0886	PASS	
Pentachloroaniline	Report Results	ND	mg/Kg	0.0197	N/A	
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0492	N/A	
Tecnazene	NMT 0.05	ND	mg/Kg	0.0098	PASS	
S-421	NMT 0.02	ND	mg/Kg	0.0098	PASS	

Additional Report Notes

N/A

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:

Jele West

Position:

Laboratory Director

Name:

Tyler West

Department: Date:

Management 24JUL2025

Received: 16JUL2025 | Issued: 24JUL2025 Work Order: ISO04459 | Sample: I12125 Revision: 00 | Page 5