



Certificate of Analysis

Customer Information

Client: Prof Whyte's Kratom
Attention: (954) 470-1891
Address: 7901 SW 6th Ct, Suite 250B
Plantation, FL 33324

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: Trainwreck 100g
Lot Number: 11131
Description: Powder botanical extract
Condition: Good
Job ID: ISO06141
Sample ID: I17182
Received: 02FEB2026
Completed: 03FEB2026
Issued: 03FEB2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)		Method Code: T102		Tested: 03FEB2026 0251		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Mitragynine	Report Results	1.24	w/w%	0.0055	N/A	
7-Hydroxymitragynine	Report Results	0.00524	w/w%	0.0015	N/A	
Paynantheine	Report Results	0.253	w/w%	0.0055	N/A	
Speciogynine	Report Results	0.185	w/w%	0.0055	N/A	
Speciociliatine	Report Results	0.372	w/w%	0.0055	N/A	
Total Mitragyna Alkaloids	Report Results	2.06	w/w%	0.0055	N/A	

Moisture Content		Method Code: T505		Tested: 03FEB2026 1129		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Moisture	Report Results	5.15	%	0.1	N/A	

7-Hydroxymitragynine Limit (0.04%)		Method Code: 813		Tested: 03FEB2026 1129		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
7-Hydroxymitragynine	NMT 400 PPM	55	ppm	16	PASS	

Additional Report Notes

T813 results are reported on a dry-weight basis (DWB). Reported values converted from T102 results using the laboratory-measured moisture content by T505 for each sample:

DWB w/w% = (as-received w/w%) ÷ (1 – moisture%/100).

Revision History

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	03FEB2026